

Artistic Skylights conform to and exceed test requirements of the following criteria: AAMA/WDMA/CSA 101/I.S.2/A440-17 (NAFS - North American Fenestration Standard / Specification for windows, doors and skylights)

Skylights are suitable for use on all types of slope roofs with minimum slope requirement of 3:12. Designed for mounting on 3" (76mm) curbs with flashing (by others), these units provide excellent performance in all geographic locations.

- Flashing kits available for asphalt shingle roofs
- Custom sizes are available upon request



| Model G-FF Available Sizes |                   |                   |              |
|----------------------------|-------------------|-------------------|--------------|
| Model #                    | B x B Dimensions  |                   | Glazing Type |
| G-FF 2020                  | 14 1/4" x 14 1/4" | (362mm x 362mm)   |              |
| G-FF 2052                  | 14 1/4" x 46 1/4" | (362mm x 1175mm)  |              |
| G-FF 2828                  | 22 1/4" x 22 1/4" | (565mm x 565mm)   |              |
| G-FF 2836                  | 22 1/4" x 30 1/4" | (565mm x 768mm)   |              |
| G-FF 2852                  | 22 1/4" x 46 1/4" | (565mm x 1175mm)  |              |
| G-FF 2860                  | 22 1/4" x 55"     | (565mm x 1397mm)  |              |
| G-FF 2876                  | 22 1/4" x 69 1/2" | (565mm x 1765mm)  |              |
| G-FF 2896                  | 22 1/4" x 89 1/2" | (565mm x 2273mm)  |              |
| G-FF 3636                  | 30 1/4" x 30 1/4" | (768mm x 768mm)   |              |
| G-FF 3642                  | 30 1/4" x 37"     | (768mm x 940mm)   |              |
| G-FF 3652                  | 30 1/4" x 46 1/4" | (768mm x 1175mm)  |              |
| G-FF 3660                  | 30 1/4" x 55"     | (768mm x 1397mm)  |              |
| G-FF 3676                  | 30 1/4" x 69 1/2" | (768mm x 1765mm)  |              |
| G-FF 3696                  | 30 1/4" x 89 1/2" | (768mm x 2273mm)  |              |
| G-FF 4242                  | 37" x 37"         | (940mm x 940mm)   |              |
| G-FF 4252                  | 37" x 46 1/4"     | (940mm x 1175mm)  |              |
| G-FF 4280                  | 37" x 75"         | (940mm x 1905mm)  |              |
| G-FF 5252                  | 46 1/4" x 46 1/4" | (1175mm x 1175mm) |              |
| G-FF 5260                  | 46 1/4" x 55"     | (1175mm x 1397mm) |              |
| G-FF 5276                  | 46 1/4" x 69 1/2" | (1175mm x 1765mm) |              |
| G-FF CUST.                 |                   |                   |              |
| G-FF CUST.                 |                   |                   |              |

**Specifications:**

Skylight shall be factory assembled Model No. \_\_\_\_\_ G-FF as manufactured by Artistic Skylight Domes Ltd. Vaughan, Ontario. Glazing shall consist of, sealed dual tempered glass of clear low-E over clear. The skylight shall consist of corrosion resistant extruded aluminum curb frame 6063-T5 alloy, with heliarc welded corners. The skylight curb frame shall have an extruded rigid vinyl thermal break (to prevent thermal transfer to interior of building) which incorporates a high capacity, 5 degree sloped condensation gutter with drainage to exterior, and co-extruded rubber draft seal. The retaining cap frame shall be extruded, mill finish (optional baked enamel), 6063-T5 aluminum alloy with heliarc welded corners.

|              |  |  |  |
|--------------|--|--|--|
| Contractor:  |  |  |  |
| Architect:   |  |  |  |
| Approved By: |  |  |  |
| Project:     |  |  |  |
| Date:        |  |  |  |

